PHILIPS Lighting



MASTER PL-C 4 Pin

MASTER PL-C 13W/840/4P 1CT/5X10BOX

MASTER PL-C is an efficient medium-wattage compact fluorescent lamp, typically used in general downlights for retail, hospitality and office applications. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 4-pin version is designed for operation on electronic HF control gear with integrated pre-heat and is provided with a plug-in/pull-out lamp base.

Product data

| General Information | |
|------------------------------------|---------------------|
| Cap-Base | G24Q-1 [G24q-1] |
| Life to 50% Failures Preheat (Nom) | 13000 h |
| LSF Preheat 2000 h Rated | 99 % |
| LSF Preheat 4000 h Rated | 98 % |
| LSF Preheat 6000 h Rated | 97 % |
| LSF Preheat 8000 h Rated | 90 % |
| | |
| Light Technical | |
| Color Code | 840 [CCT of 4000K] |
| Luminous Flux (Nom) | 925 lm |
| Luminous Flux (Rated) (Nom) | 925 lm |
| Color Designation | Cool White (CW) |
| Correlated Color Temperature (Nom) | 4000 K |
| Luminous Efficacy (rated) (Nom) | 69 lm/W |
| Color Rendering Index (Nom) | 82 |
| LLMF 2000 h Rated | 92 % |
| LLMF 4000 h Rated | 87 % |
| LLMF 6000 h Rated | 83 % |
| LLMF 8000 h Rated | 81 % |
| | |

| 13.0 W |
|-----------------|
| 0.170 A |
| |
| |
| 28 °C |
| |
| |
| Yes |
| |
| |
| 4 Pins |
| |
| |
| Α |
| 1.4 mg |
| 15 kWh |
| |
| |
| 871150062332470 |
| |
| |


MASTER PL-C 4 Pin

| EAN/UPC - Product | 8711500623324 |
|---------------------------------|---------------|
| Order code | 927907184040 |
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 50 |
| Material Nr. (12NC) | 927907184040 |

| Net Weight (Piece) | 49.900 g | |
|--------------------|-----------------------|--|
| ILCOS Code | FSQ-13/40/1B-E-G24q=1 | |


Warnings and Safety

Dimensional drawing



PL-C 13W/840/4P


Photometric data



LDPB_PLC4P_840-Spectral power distribution B/W

Product


MASTER PL-C 13W/840/4P 1CT/5X10BOX



LDPO_PLC4P_840-Spectral power distribution Colour

MASTER PL-C 4 Pin

Lifetime





© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2020, March 19 - data subject to change